





## РГ АППАРАТ БЫТОВОЙ



Бани для сауны

ЭЛИТ КЛАССА





Покупайте трубы дымохода и элементы обустройства бани производства ООО "Петрозаводскмаш-ТНП"



# АТБ-СВ-30-60; АТБ-СВ-30-60Н; АТБ-СВ-30-60С; АТБ-СВ-30-60СН АТБ-СВ-30-60СК


( 1).

12 18 10 08 17 1).  
- -30-60

- -30-60


- -30-60

- -30-60




- 1 - ;
- 2 - ;
- 3 - ;
- 4 - ;
- 5 - ;
- 6 - ;
- 7 - ;
- 8 - 60 ;

( 2 .);



- 1 - ПАРИЛКА;
- 2 - МОЕЧНАЯ;
- 3 - ПРЕДБАНИК;
- 4 - АППАРАТ;
- 5 - ПРИТОПОЧНЫЙ ЛИСТ;
- 6 - БАК ДЛЯ ГОРЯЧЕЙ ВОДЫ;
- 7 - ПОЛОК;
- 8 - СКАМЕЙКА;
- 9 - ПЕРЕГОРОДКА ИЗ КИРПИЧНОЙ КЛАДКИ ВЫСОТОЙ 1,2 М





200 .

20 ,

( )

1,5 .

1 ;

0,7 ,

( )

12 .

1,2 .

( )

25

1 2.

1,2 .

“ - ”:

- ( .550 650);

- ;


:

- 50 ;

- ( ) 50 .

41-01-2003.

- -30-60 ;	- -30-60 ;	- -30-60 ;
- -30 ;	- -30 ;	- -30



! ; 4 ;

- ; 5 (

- )

40 ;

- ;

- ;

- 1 ; 2, 3 ;

- 4 ;

- ;

- 4 ,

- ;

- 1 ;

- 3/4".

( )



\_\_\_\_\_ -100

”

- -30-60;    - -30-60 ;    - -30-60 ;    - -30-60


                  - -30-60

Схема разметки отверстий для установки бака вместимостью 60/75 л



4

“ ”  
“ ” 10-15



( )

1/3

Регулировку подачи воздуха производить выдвиганием зольника.

( )

- снять заглушки ( на задней стенке печи);
- очистить дымоход от сажистых и зольных отложений.

- ;
- ;
- “ ” ( ;
- );
- ;
- .

!

3

700 500 ,

0,5 ,





- -30-60  
- -30-60

- -30-60  
- -30-60

	<b>1/3</b>		
1.		-1	.
2.		-1	.
3.		-2	.
4.		-1	.
5.		-1	.
6.		-1	.
7.	L=120	-1	.
8.		-1	.
9.		-1	.
10.		-2	.
11.		-7	.
12.	4 50	-2	.
13.		-1	.
14.		-1	.
1.	<b>2/3</b>	-1	.
1.	<b>3/3</b>		
	L=790	-1	.
2.	L=940	-1	.

	<b>1/3</b>		
1.		-1	.
2.		-1	.
3.		-2	.
4.		-1	.
5.		-1	.
6.		-1	.
7.	L=120	-1	.
8.		-1	.
9.		-1	.
10.		-2	.
11.		-7	.
12.	4 50	-2	.
13.		-1	.
14.		-1	.
15.		-1	.
1.	<b>2/3</b>	-1	.
1.	<b>3/3</b>		
	L=790	-1	.
2.	L=940	-1	.

- -30-60

	<b>1/4</b>		
1.		-1	.
2.		-1	.
3.		-2	.
4.		-1	.
5.		-1	.
6.		-1	.
7.	L=120	-1	.
8.		-1	.
9.		-1	.
10.		-2	.
11.		-7	.
12.	4 50	-2	.
13.		-1	.
14.		-1	.
15.		-1	.

	<b>2/4</b>		
1.		-1	.
1.	<b>3/4</b>		
	L=790	-1	.
2.	L=940	-1	.
1.	<b>4/4</b>	-1	.



!

- -30;      - -30

1/1

- |    |    |   |
|----|----|---|
| 1. | -1 | . |
| 2. | -1 | . |
| 3. | -2 | . |
| 4. | -1 | . |
| 5. | -1 | . |
| 6. | -1 | . |
| 7. | -1 | . |
| 8. | -1 | . |

АТБ-С-30С  
- -30

1/1

- |    |    |   |
|----|----|---|
| 1. | -1 | . |
| 2. | -1 | . |
| 3. | -2 | . |
| 4. | -1 | . |
| 5. | -1 | . |
| 6. | -1 | . |
| 7. | -1 | . |
| 8. | -1 | . |
| 9. | -1 | . |

АТБ-С-30СК

1/2

- |    |    |   |
|----|----|---|
| 1. | -1 | . |
| 2. | -1 | . |
| 3. | -2 | . |
| 4. | -1 | . |
| 5. | -1 | . |
| 6. | -1 | . |
| 7. | -1 | . |
| 8. | -1 | . |
| 9. | -1 | . |

2/2

- |    |    |   |
|----|----|---|
| 1. | -1 | . |
|----|----|---|

30

-

-

-

-

-

.

-

,

.

.

-

.

.

:

;

;

,

- -30-60	- -30-60	- -30-60	- -30-60	- -30-60
- -30	- -30	- -30	- -30	- -30

4858-020-05785543-2004

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

: ,185031, « , , , . ,65 »

: (8142) 716637

/ (8142) 716814



\_\_\_\_\_